

Implementation Overview

WHO-FIC/ICD Asia Pacific



2nd Meeting of the Asia Pacific WHO-FIC Network
2007

Classifications and Terminology

Robert JAKOB

www.who.int/classifications

Information available

- ATC/DDD
- ICD-O
- ICPC
- ICD
- ICF

Data Sources


- Query
- Licensing
- Past studies
 - WHO
 - WHO-FIC Network
- UNSD
- WICC/WONCA

Criteria for implementation


- Any vital registration system
- Quality adjusted completeness (completeness and “garbage” codes)
- Reporting any ICD data (ICD-10, ICD-10 modif, ICD-9)
- Reporting ICD-10 data
- Implementing updates to ICD-10

WPRO/SEARO


Status of implementation ICD (n=40)



ICD-10 Details: n=12



UN Human Development Index (2006)



— 0.950 and over HIGH
 — 0.900-0.949 HIGH
 — 0.850-0.899 HIGH
 — 0.800-0.849 HIGH
 — 0.750-0.799

— 0.700-0.749
 — 0.650-0.699
 — 0.600-0.649
 — 0.550-0.599
 — 0.500-0.549

— 0.450-0.499 LOW
 — 0.400-0.449 LOW
 — 0.350-0.399 LOW
 — 0.300-0.349 LOW
 — under 0.300 LOW
 — n/a

Possible indicators for sustainable implementation

- **Government commitment**
 - Indicator?
- **HIS under construction**
(own resources)
- **Functioning information collection mechanism**
- **HDI ?**

Requirements

- **Affordable print copies of ICD**
- **Training**
 - **Service providers:**
 - documentation
 - environment
 - **Others:**
 - coding
 - environment

Positive example

- SEARO workshop “Train the Trainers”
 - Active countries
 - HIS existing or under construction
 - Clear ideas
 - Common ideas

RZHAR



AZHAR